

COMPACTS 42 43 COMPACTS

Teka compacts: High performance in a small sleek design

Design your real kitchen with our Advand and Ebon compact appliances aligned with our oven range. Combine them in a horizontal run, a vertical stack or a group of four. Just challenge your imagination!



The possibilities are endless

Select the combination of appliances that best suit your needs! Our compact models have all the features concentrated into a smaller space. From combi steamer, steam or multifunction ovens to combi (oven + microwave) and microwaves or the stunnig coffee machine. And don't forget the warming drawer or the new vacuum sealer to complete your kitchen!



Multifunction ovens that cook at the touch of a button

Just relax! Our compact multifunction ovens have all the benefits of the programmed recipes as well as many other functions.

Choose the kind of food: chicken, lamb, fish, cakes, pizza, etc., select the weight and it's ready to eat! The cooking assistant will cook your meal automatically with the best results.



Oven + microwave? Yes, a combi

A high capacity microwave or a multifunction oven? No need to choose when you can have both at the same time. They offer the usual multifunction oven features with the power of a Teka microwave, all in one single appliance.



Teplo plate warmer

The Teplo plate warmer is available in different sizes to fit perfectly in your kitchen. It is ideal for keeping hot food warm until you are ready to serve without drying it. It has a stylish steel warming drawer for a flush finish in your kitchen.

Teka steam oven. The real healthy, tasty option

Do you want to cook as a real professional chef? Steam cooking is the trick. Combine steam and hot air simultaneously and your favourite recipes will keep all the natural juiciness and succulence of the food inside, with a crispy crust outside. Just the way you like it.

And what else?

- By using Teka steam ovens, your meals will keep all their vitamins, minerals and natural nutrients, which are usually destroyed when using traditional cooking methods.
- Your recipes will have a perfect finish! All flavours, colours, textures and tastes will be enhanced.
- It needs less oil to cook and food doesn't need to be defrosted!
- And it even cooks 20% faster







Kitchen scales

Vacuum sealer

Transparent film

Normalia de la constanta



Professional cooking at home

Teka offers you a real professional workplace built into a 14 cm drawer. With the new Vacuum Sealer you will be able to weigh food accurately before vacuum sealing it or simply wrap it using the film and foil dispenser.

Besides, vacuum sealing revolutionises the way you cook, especially with steam ovens. It prevents food shrinkage and locks in nutrients and flavours. The removal of air from the bag also allows efficient heat transfer. Real professional expertise fully integrated into your kitchen.

Your personal barista always at home

Enjoy the highest quality coffee! This coffee maker is the perfect final touch for your kitchen and aligns perfectly with other Teka's products, such as Advand Teka ovens.



Authentic Italian coffee or just hot water

Featuring an easy and intuitive electronic touch control panel with a LED display and access to 3 great functions: coffee, steam and hot water.



A flavour-filled espresso or a mild coffee?

Select the amount and strength of each cup of coffee with extreme precision. Use fresh coffee beans for an authentic taste!



Share the pleasure

Share the taste and aroma of fresh coffee with your loved ones.

Brew two perfect cups of coffee at the same time!



ADVAND HKL 970 SC



Combi steamer

Energy class: A+

Fingerprint proof stainless steel Capacity: 30 litres

5 cooking functions

23 access menus

3 memories

1600 W turbo function

Steam function temperatures: 40°-80°-100°

Digital display

Pop-up control knobs

Meat probe device 1200 W grill

1.4 water tank

4 cooking levels

Forced ventilation

Stainless steel cavity Children safety block

Triple glazed door

2 stainless steel trays

1 stainless steel grid

External Dimension

- 0 H 455 mm
- W 595 mm
- O D 542 mm



ADVAND HKL 870



Multifunction turbo oven Hydroclean PRO cleaning system

Energy class: A

TENDER AND JUICY INSIDE, CRISPY AND GOLDEN

Thanks to the steam oven

Advand HKL 970 SC, you

also roast or even better,

By using the new cooking

function which combines

prepare delicious roasts

which are tender and juicy

inside and crispy outside.

hot air with steam, you can

steam and roast your meals.

can not only steam but

OUTSIDE

Fingerprint proof stainless steel

Capacity: 38/48 litres (net/gross)

9 cooking functions

10 programmed recipes

Slow cook

Express preheating

Touch Control panel Pop-up control knobs

Drop down maxi grill

1 Plus Extraction telescopic guide

Forced ventilation

Children safety block

Triple glazed door

Full glass inner door Deep tray and baking tray

Reinforced grid

External Dimensions

- 0 H 455 mm
- **O**W 595 mm
- O D 562 mm







ADVAND MCL 32 BIS

Combi Oven+Microwave

1600 W turbo function

1500 W drop down grill

Pop-up control knobs

3 memories

5 power levels

Digital display

0-90 min. timer

Glass tray

Cooking grid

Browning plate

Forced ventilation

Children safety block

Stainless steel cavity

Fingerprint proof stainless steel

Capacity: 32/38 litres (net/gross)

Crunch function (browning plate)

Defrost by time and weight

M 6 1 1 2 2 2 2

ADVAND HKL 840



Multifunction turbo oven Hydroclean PRO cleaning system

Energy class: A

Fingerprint proof stainless steel

Capacity: 38/48 litres (net/gross)

9 cooking functions

Touch Control panel

Pop-up control knobs

Drop down maxi grill

1 telescopic guide

Forced ventilation

Children safety block

Triple glazed door

Full glass inner door

External Dimensions

0 H 455 mm

9 W 595 mm

O D 562 mm

Deep tray

Reinforced grid

ADVAND MWL 32 BIS

灏	М	KG *	ı
(P)	≅ ≅	\overline{w}	~~

Microwave + Grill

Fingerprint proof stainless steel Capacity: 32/38 litres (net/gross)

3 cooking functions

3 memories

5 power levels

1500 W drop down grill

Digital display

Pop-up control knobs

Crunch function (browning plate)

0-90 min. Timer

Defrost by time and weight

Forced ventilation

Children safety block

Stainless steel cavity

Two grids

Browning plate

External Dimensions

- OH 455 mm ●W 595 mm
- OD 472 mm

External Dimensions

- 0 H 455 mm **O** W 595 mm
- 2 D 542 mm



















EBON HKS 930 S



Steam oven

Fingerprint proof stainless steel Capacity: 32/35 litres (net/gross) 1 cooking function Steam function temperatures: 40°-80°-100° Touch Control panel Pop-up control knobs 1.4 water tank 4 cooking levels Forced ventilation

EBON HKS 635



Turbo multifunction oven Hydroclean ECO cleaning system

Energy class: A Fingerprint proof stainless steel Capacity: 38/48 litres (net/gross) 9 cooking functions Touch Control panel Pop-up control knobs Maxi grill 1 telescopic tray guide Dynamic ventilation

EBON HKS 535



Conventional oven

Energy class: A Fingerprint proof stainless steel Capacity: 38/48 litres (net/gross) 3 cooking functions Pop-up control knobs Dynamic ventilation Deep tray Cooking grid

EBON MWS 32 BI



Microwave + Grill

Fingerprint proof stainless steel Capacity: 32/38 litres (net/gross) 3 cooking functions 5 power levels 1500 W grill Mechanical control panel Pop-up control knobs 0-60 min. timer Defrost by time Double glazed door Stainless steel cavity 1 round rack

EBON MCS 32 BIH



Combi Oven+Microwave

Fingerprint proof stainless steel Capacity: 32/38 litres (net/gross) Touch control panel 6 cooking functions 5 power levels 1500 W turbo 1500 W drop down grill Pop-up control knobs 0-90 min. timer Defrost by time Forced ventilation Children safety block Triple glazed door Stainless steel cavity

COUNTRY MWR 32 BI



Microwave + Grill

Painted front Capacity: 32/38 litres (net/gross) 3 cooking functions 5 power levels 1500 W drop down grill Mechanical control panel Crunch function (browning plate) 0-60 min. Timer Defrost by time Double glazed door Forced ventilation Two grids Browning plate

Color

Anthracite Beige

External Dimensions

Double glazed door

2 stainless steel trays

- 0 H 455 mm W 595 mm

D 472 mm

External Dimensions

Children safety block

Full glass inner door

Deep tray

Cooking grid

- 0 H 455 mm
- **O** W 595 mm
- **D** 540 mm

External Dimensions

- 0 H 455 mm
- W 595 mm
- 2 D 540 mm

External Dimensions

- 0 H 455 mm
- **O** W 595 mm
- O D 472 mm

External Dimensions

0 H 455 mm

Cooking grid

●W 595 mm OD 542 mm

External Dimensions 0 H 455 mm

- W 595 mm

















COMPACTS

ADVAND CML 45



Built-in coffee maker

Fingerprint proof stainless steel Capacity: 2 cups 3 functions (coffee, steam and hot water) 30 automatic programs Electronic control panel Pump power: 15 bar Integrated coffee grinder Grinding coarseness regulator: 13 positions Coffee beans deposit: 200 grams Pre-grounded coffee deposit Water tank capacity: 1,8 litres Self-cleaning function Automatic decalcifier Quantity of coffee, temperature and intensity regulation LED lighting

0 H 455 mm

External Dimensions

Telescopic guides

- W 595 mm
- **②** D 413 mm

VACUUM SEALER VS 152



灏

Vacuum sealing machine

External Dimensions

0 H 140 mm

● W 595 mm

D 557 mm

Kitchen scale with protective cover Roll holder for aluminum film Roll holder for transparent film Place to store accessories Self-closing Soft-close

TEPLO CPEL 15



Plate warmer

Fingerprint proof stainless steel Push-pull opening system Telescopic drawer with anti-sliding material 6 place settings 10 cm. usable height Temperature range 30°-80°C Illuminated switch on-off pilot Max. nominal power: 430 W

External Dimensions

- **0** H 140 mm
- W 595 mm
- 2 D 557 mm

TEPLO CP 29



Plate warmer

Fingerprint proof stainless steel Telescopic drawer with anti-sliding material 12 place settings 25 cm. usable height Temperature range 30°-70°C Illuminated switch on-off pilot Max. nominal power: 400 W

TEPLO CP 21



Plate warmer

Fingerprint proof stainless steel Telescopic drawer with anti-sliding material 8 place settings 17 cm. usable height Temperature range 30°-70°C Illuminated switch on-off pilot Max. nominal power: 400 W

TEPLO CP 15



Plate warmer

Fingerprint proof stainless steel Telescopic drawer with anti-sliding material 6 place settings 10 cm. usable height Temperature range 30°-70°C Illuminated switch on-off pilot Max. nominal power: 400 W

External Dimensions

- 0 H 293 mm
- **O** W 595 mm
- O D 557 mm

External Dimensions

- 0 H 215 mm **②** W 595 mm
- OD 557 mm

External Dimensions

- **O**H 140 mm
- W 595 mm





MODELS	ADVAND HKL 970 SC	ADVAND HKL 870	ADVAND HKL 840	EBON HKS 930 S	EBON HKS 635	EBON HKS 535
Overall measurements						
Height (mm)	455	455	455	455	455	455
Width (mm)	595	595	595	595	595	595
Depth (mm)	542	562	562	472	562	562
Inner measurements	••••	•	*			•
Height (mm)	210	215	215	420	215	215
Width (mm)	420	452	452	210	452	452
Depth (mm)	390	395	395	390	395	395
Capacity (litres)	32	38/48	38/48	32/35	38/48	38/48
Electrical connection	•		*			
Voltage (V)	220-240	220-240	220-240	220-240	220-240	220-240
Maximum connection rating (W)	2900	2923	2923	1500	2673	2493
Cable connection length (cm)	-	110	110	-	110	110
				•		,
Power consumption						
Bottom heat (W)	-	1050	1050	-	1050	1050
Grill/Maxi grill (W)	1200	1500/2600	1500/2600	-	1500/2600	1400
Traditional (W)	-	2550	2550	-	2550	2450
Turbo (W)	1600	1800	1800	-	-	-
Multifunction motor (W)	-	30	30	_	30	-
Interior light (W)	15	25	25	15	25	25
Cooling fan motor (W)	-	18	18	-	18	18
Features						
Stainless steel (fingerprint proof)	•	•	•	•	•	•
Cooking functions	5	10+10	9	1	8	3
Touch control digital timer	•	•	•	•	•	-
Digital timer start/stop programmer	-	-	-	-	-	-
Analogic timer start/stop programmer	-	-	-	-	-	-
Mechanical timer with stop programmer	r -	-	-	-	-	•
Telescopic tray guides	-	1	1	•	1	-
Chromed tray guides	-	•	•	-	•	•
MCS Mix Chamber System	-	-	-	-	-	-
Forzed refrigeration	Tangential	Tangential	Tangential	Tangential	Tangential	Tangential
Fume scape outlet	Vault	Vault	Vault	Vault	Vault	Vault
Safety systems						
Door opening security disconnection	-	•	-	-	-	-
Children safety block option	•	•	•	-	•	-
Grill protector	-	•	•	-	•	•
Anti-tip tray system	-	•	•	-	•	•
Safety thermostat	•	•	•	•	•	•
Glazed door	3	3	3	2	2	2
Cleaning systems			•			
Easy cleaning enamel			_		•	•
Pyrolitic cleaning		_	-	-		-
Teka Hydroclean®enamel	-	•	•	-	-	-
Accessories	2	1		2		
Baking tray	2	1	-	2	-	-
Deep tray (50 mm)	-	1	1	-	1	1
Roasting tray	metalrack	-	-	-	1	1
Chromed cooking grid	-	1	1	-	-	-
Tray handle	-	-	-	-	-	-
Energy efficiency						
Energy label(1)	A	А	А	-	A	А
			***************************************	•		


MODELS	ADVAND MWL 32 BIS	ADVAND MCL 32 BIS	EBON MWS 32 BI	EBON MCS 32 BIH	COUNTRY MWR 32 BI ANTHRACITE/BEIGE
Overall measurements (mm)					
Height	455	455	455	455	455
Width	595	595	595	595	595
Depth	472	542	472	542	472
Inner measurements (mm)	•	•	•	•	•
Height	210	210	210	210	210
Width	420	420	420	420	420
Depth	390	390	390	390	390
Capacity Net/ Gross (litres)	32/38	32/38	32/38	32/38	32/38
Electrical connection		•	•	*	•
Power supply 220-240 V	220-240	220-240	220-240	220-240	220-240
Mwo power (W)	1000	1000	1000	1000	1000
Grill power (W)	1500	1500	1500	1500	1500
Frequency 50 Hz	•	•	•	•	•
Turbo (W)	-	1600	-	1500	-
Max. Nominal power (W)	3300	3400	3300	3400	3300
Features		•		•	•
Fingerprint proof stainless steel	•	•	•	•	-
Cooking functions	3	6	3	6	3
Turbo function	-	•	-	•	-
Microwaves plus grill	•	•	•	•	•
Crunch function	•	•	-	-	•
Integrated drop-down grill	•	•	-	•	•
Touch control panel	•	•	-	-	-
Electronic control panel	-	-	-	•	-
Electromechanical control panel	-	-	•	-	•
Power levels	5	5	5	5	5
Auto cook functions	3	3	-	3	-
Minute minder (minutes)	90	90	60	90	60
Defrosting by time	•	•	•	•	•
Defrosting by weight	•	•	-	-	-
30 seconds quick start	-	-	-	-	-
1 minute quick start	•	•	-	-	-
Inner cavity	S/Steel	S/Steel	S/Steel	S/Steel	S/Steel
Integrated rotary turntable (Ø cm)	32cm	32cm	32cm	32cm	32cm
Turntable stop function	-	-	-	-	-
Frame	-	-	-	-	-
Safety systems					
Children safety block	•	•	-	•	-
Security thermostat	•	•	•	•	•
Forced air ventilation	•	•	Tangential	Tangential	Tangential
Accesories					
Grid	2	1	1	1	2
Glass tray	-	1	-	-	-
Enamel tray	-	-	-	-	-
Browning plate	1	1	_	-	1


* In a scale embracing from A (more efficient) to G (less efficient).


COMPACTS 52 53 COMPACTS




















VACUUM SEALER VS 152 · TEPLO CPEL 15 · TEPLO CP 15

TEPLO CP 29

TEPLO CP 21