

FALL PROTECTION



ACCESS A HIGHER STANDARD.™





TABLE OF CONTENTS

TOTAL JOBSITE SOLUTIONS.....	2
PRODUCT PROMISE.....	3-4
THE WERNER SELECTION GUIDE.....	5
HARNESSES.....	6-16
HARNESSES FAMILY.....	6
KNOW YOUR HARNESSES/HOW TO CHOOSE YOUR HARNESSES.....	7-8
BLUE ARMOR 2000 HARNESSES.....	9-10
BLUE ARMOR 1000 HARNESSES.....	11-12
LITEFIT HARNESSES.....	13-14
BASEWEAR.....	15
HARNESSES ACCESSORIES.....	16
LANYARDS.....	17-22
KNOW YOUR LANYARD/TYPES OF LANYARDS.....	17-18
DECOIL.....	19-20
DECOIL STRETCH.....	21
SOFT COIL.....	21
POSITIONING.....	22
SRL.....	23-26
ANCHORS.....	27-31
ANCHOR ACCESSORIES.....	30
VERTICAL LIFELINES.....	32
COMPLIANCE KITS.....	33-34
URMARK KITS.....	35-36
TRAINING.....	37-38



SOLUTIONS FOR SAFE ACCESS AT ANY HEIGHT



W

e've built a reputation for excellence in workplace safety. It's based on experience satisfying the tough demands of the experienced pro. At Werner, we know what professionals need and want. We make it our charge to deliver it.

Our new line of fall protection equipment extends from that same philosophy that has made our ladders preferred by professionals. We begin with **The Werner Product Promise** that establishes our design and ensures satisfaction – before, during and after use. We have developed built-in **INSPECT!**[™] and **WebAlert** features that make inspection quicker and easier for users, which makes assuring safety easier.

Whether it's ladders or fall protection equipment, everything we make is known for its durability and is able to withstand the harshest of working conditions. Our innovative features also add an extra edge for both safe use and reliable performance.

We are committed to maintaining tight controls in all phases of manufacturing. In fall protection, you can see it in our new in-house sewing operations for harnesses and lanyards. World-class distribution and excellent customer care reinforce our efforts. We are proud of what our brand represents and proud that we can now deliver safety needs at any height.



THE WERNER

1

Must offer **inspectability** to indicate wear or damage prior to use



2

Must be **adjustable** to accommodate most body frames to ensure **comfort** and **productivity** with or without tools



PRODUCT PROMISE

3

Must **perform safely**
in the event of a fall



4

Must be able to be **manipulated**
in a post-fall condition
to eliminate pain,
pressure points
and improve
ability to assist
in a rescue



Step 1

○ Anchorage/Anchorage Connectors

- Must support 5,000 lbs.
- Select product that matches application

Step 2

○ Connecting Device

- Determine if your needs are:
 Arrest - Free falling up to 6ft.
 Restraint - No fall potential

Step 3

○ Harnesses

- Select style based on application

Step 1 Anchorage/Anchorage Connectors	Step 2 Connection Device Fall Arrest	Step 3 Harnesses
Static/Fixed Anchor Points	Self Retracting Lifelines (6'-60') Lanyards (Single or Twinleg) Rope/Grabs (Manual or Trailing)	Standard Climbing Positioning
Horizontal Lifelines	Fall Restraint Lanyards (Single or Twinleg) Rope/Grabs (Manual)	Retrieval Construction Style

HARNESSES FAMILY



Blue Armor 2000™

INSPECTABLE HARNESSES

Werner Blue Armor 2000 harnesses are designed and manufactured for the most demanding applications and the most serious professional workers. 400lb. rated. They combine safety features, comfort and durability for the highest levels of application. Unique wear-indicating webbing and impact indicators allow for easy inspection, 5-point adjustability deliver optimal fit, and bright colors improve worker visibility.



Blue Armor 1000™

INSPECTABLE HARNESSES

Werner Blue Armor 1000 harnesses deliver the right combination of safety features, comfort and durability for the professional worker. 400lb. rated. They're easy to inspect, with unique wear-indicating webbing and impact indicators. With 5-point adjustability for optimal fit, lightweight hardware and padding, and bright colors for worker visibility on the job site, they meet the needs of many pros.



LITEFIT™

SAFETY HARNESSES

The Werner LITEFIT line provides the right harness, the right fit, and the right value. 310lb. rated. These harnesses offer full adjustability for fit, comfort, and convenience, lightweight and durable hardware, and bright colors for enhanced visibility.



BASEWEAR™

SAFETY HARNESSES

The Werner BaseWear line provides compliant fall protection at an economical value. 310lb. rated. These harnesses promote all day wear with lightweight design and Universal sizing.

VALUE MATRIX





KNOW YOUR HARNESS

1. WEBBING

The webbing is the skeleton of the harness and must have the strength and durability to satisfy fall protection needs in demanding job environments.

2. ADJUSTMENT LOCATIONS

For optimal comfort and performance in a fall event, a harness must be properly adjusted and fit on the user. All areas of the harness should be snug, but not overly tight. Most harnesses have adjustments for the torso/shoulder straps, chest straps, and leg straps.

3. ALTERNATE ATTACHMENT HARDWARE

Different harnesses have additional D-Rings for specific applications: near the hips, on the chest, or on the shoulders.

4. LEG STRAPS

Leg straps fasteners come in different styles, including pass through buckles, tongue buckles, and quick connect buckles.



Pass through



Tongue Buckle



Quick Connect



5. BACK/SHOULDER PAD WITH DORSAL BACK D-RING
Cushioning on the back and shoulders helps distribute pressure, improving users' comfort.



6. SUB-PELVIC STRAP
When properly positioned, the sub-pelvic straps help to distribute force and weight during and after a fall.



7. LABELS
Harness labels include important product information and provide a place to record inspection data. Labels must be protected from wear and damage; legibility is critical.



8. IMPACT INDICATORS
Any harness exposed to a fall should be removed from service. These indicators provide instant evidence whether or not a fall has occurred.



HOW TO CHOOSE THE CORRECT HARNESS FOR THE JOB



9. LANYARD KEEPERS


The lanyard keeper provides a safe place to park a lanyard not in use and also reduces the likelihood of tripping on or snagging the lanyard.



10. STRAP KEEPERS

When properly adjusted and fit to a user, a harness may have extra webbing strap hanging out of the various buckles. Simple strap keepers allow the user to organize and store this extra strap to improve comfort and prevent snagging.

Full Body Harness Sizing Chart



STYLES OF HARNESSSES

2.



STANDARD

For fall arrest only, features only a dorsal D-Ring on the back.



CLIMBING

For climbing applications and attachment to fixed ladder safety systems, these harnesses include a frontal attachment point.



POSITIONING

These harnesses have D-Rings located at the hips for use with positioning lanyards to allow for hands-free working in vertical structure applications



RETRIEVAL

D-rings on the shoulders are used for lifting or lowering a user, typically in confined space or rescue applications



CONSTRUCTION STYLE (POSITIONING WITH BELT)

Construction harnesses feature belts and additional attachment points for a variety of applications. The belt allows users to carry tools, and additional padding improves user comfort.



WebAlert INSPECTABLE WEBBING
WebAlert webbing makes wear or damage clearly visible.



SHOULDER PADDING
Improves user comfort



WEB TERMINATIONS STRAP KEEPERS
Keeps excess webbing organized and out of the way



QUICK CONNECT CHEST BUCKLE
Provides fast and easy connection

LANYARD KEEPER
Keeps lanyard end secure and out of the way when not in use



LABEL PROTECTION
Durable cover easily reveals labels



IMPACT INDICATOR
Clearly shows if the harness has been involved in a fall



400LB. RATED

LEG STRAP
Available with fast, easy quick connect buckles or tongue buckles, ideal when multiple workers use same harness

LARGE BACK PAD
Large back pad with breathable, sweat absorbing foam helps keep harness untangled when donning



Standard Harness

Back D-Ring, Quick Connect Legs



- SMALL**
H113001
H112001 Tongue Buckle Legs
- MEDIUM/LARGE**
H113002
H112002 Tongue Buckle Legs
- X-LARGE**
H113004
H112004 Tongue Buckle Legs
- XX-LARGE**
H113005
H112005 Tongue Buckle Legs



Climbing Harness

Back and Chest D-Rings, Quick Connect Legs



- SMALL**
H123001
H122001 Tongue Buckle Legs
- MEDIUM/LARGE**
H123002
H122002 Tongue Buckle Legs
- X-LARGE**
H123004
H122004 Tongue Buckle Legs
- XX-LARGE**
H123005
H122005 Tongue Buckle Legs



Positioning Harness

Back and Hip D-Rings, Tongue Buckle Legs



- SMALL**
H132001
H133001 Quick Connect Legs
- MEDIUM/LARGE**
H132002
H133002 Quick Connect Legs
- X-LARGE**
H132004
H133004 Quick Connect Legs
- XX-LARGE**
H132005
H133005 Quick Connect Legs



Climbing/Positioning Harness

Back, Chest, and Hip D-Rings, Tongue Buckle Legs



- SMALL**
H162001
H163001 Quick Connect Legs
- MEDIUM/LARGE**
H162002
H163002 Quick Connect Legs
- X-LARGE**
H162004
H163004 Quick Connect Legs
- XX-LARGE**
H162005
H163005 Quick Connect Legs



Construction Harness

Back and Hip D-Rings, Tool Belt, Quick Connect Legs



- SMALL**
H133101
H132101 Tongue Buckle Legs
- MEDIUM/LARGE**
H133102
H132102 Tongue Buckle Legs
- X-LARGE**
H133104
H132104 Tongue Buckle Legs
- XX-LARGE**
H133105
H132105 Tongue Buckle Legs



Retrieval Harness

Back and Shoulder D-Rings, Quick Connect Legs



- SMALL**
H143001
H142001 Tongue Buckle Legs
- MEDIUM/LARGE**
H143002
H142002 Tongue Buckle Legs
- X-LARGE**
H143004
H142004 Tongue Buckle Legs
- XX-LARGE**
H143005
H142005 Tongue Buckle Legs





Blue Armor 1000™
INSPECTABLE HARNESSES



WebAlert INSPECTABLE WEBBING
WebAlert inspectable webbing makes wear and damage visible and obvious.

LARGE BACK PAD
Large back pad with breathable, sweat absorbing foam helps keep harness untangled when donning



PASS THROUGH CHEST BUCKLE
Easy and fast adjustment and fastening



WEB TERMINATIONS STRAP KEEPERS
Keeps excess webbing organized and out of the way

LANYARD KEEPER
Keeps lanyard end secure and out of the way when not in use



IMPACT INDICATOR
Clearly shows if the harness has been involved in a fall



LABEL PROTECTION
Durable cover clearly reveals labels



LEG STRAP
Available with tongue buckles, ideal when multiple workers use same harness, or convenient pass through buckles

400LB. RATED

Standard Harness

Back D-Ring, Pass Through Legs



- SMALL**
H211001
H212001 Tongue Buckle Legs
- MEDIUM/LARGE**
H211002
H212002 Tongue Buckle Legs
- X-LARGE**
H211004
H212004 Tongue Buckle Legs
- XX-LARGE**
H211005
H212005 Tongue Buckle Legs



Climbing Harness

Back and Chest D-Rings, Pass Through Legs



- SMALL**
H221001
H222001 Tongue Buckle Legs
- MEDIUM/LARGE**
H221002
H222002 Tongue Buckle Legs
- X-LARGE**
H221004
H222004 Tongue Buckle Legs
- XX-LARGE**
H221005
H222005 Tongue Buckle Legs



Positioning Harness

Back and Hip D-Rings, Tongue Buckle Legs



- SMALL**
H232001
H231001 Pass Through Legs
- MEDIUM/LARGE**
H232002
H231002 Pass Through Legs
- X-LARGE**
H232004
H231004 Pass Through Legs
- XX-LARGE**
H232005
H231005 Pass Through Legs



Climbing/Positioning Harness

Back, Chest, and Hip D-Rings, Tongue Buckle Legs



- SMALL**
H262001
H261001 Pass Through Legs
- MEDIUM/LARGE**
H262002
H261002 Pass Through Legs
- X-LARGE**
H262004
H261004 Pass Through Legs
- XX-LARGE**
H262005
H261005 Pass Through Legs



Construction Harness

Back and Hip D-Rings, Tool Belt, Tongue Buckle Legs



- SMALL**
H232101
H231101 Pass Through Legs
- MEDIUM/LARGE**
H232102
H231102 Pass Through Legs
- X-LARGE**
H232104
H231104 Pass Through Legs
- XX-LARGE**
H232105
H231105 Pass Through Legs



Retrieval Harness

Back and Shoulder D-Rings, Pass Through Legs



- SMALL**
H241001
H242001 Tongue Buckle Legs
- MEDIUM/LARGE**
H241002
H242002 Tongue Buckle Legs
- X-LARGE**
H241004
H242004 Tongue Buckle Legs
- XX-LARGE**
H241005
H242005 Tongue Buckle Legs





LANYARD KEEPER
Keeps the lanyard secure and out of the way when not in use



STRAP KEEPERS
Keeps excess webbing organized and out of the way



BACK PAD
Adjustable for optimal fit on different body sizes.



PASS THROUGH CHEST BUCKLE

IMPACT INDICATOR
Clearly shows if the harness has been involved in a fall

LABEL PROTECTION
Durable cover easily reveals labels



LEG STRAP
Available with tongue buckles, ideal when multiple workers use same harness, or convenient pass through buckles

310LB. RATED

Standard Harness

Back D-Ring, Pass Through Legs



SMALL

H311001
H312001 Tongue Buckle Legs

MEDIUM/LARGE

H311002
H312002 Tongue Buckle Legs

X-LARGE

H311004
H312004 Tongue Buckle Legs

XX-LARGE

H311005
H312005 Tongue Buckle Legs



Construction Harness

Back and Hip D-Rings, Tongue Buckle Legs, Tool Belt



SMALL

H332101

MEDIUM/LARGE

H332102

X-LARGE

H332104

XX-LARGE

H332105



Climbing Harness

Back and Chest D-Rings, Pass Through Legs



SMALL

H321001
H322001 Tongue Buckle Legs

MEDIUM/LARGE

H321002
H322002 Tongue Buckle Legs

X-LARGE

H321004
H322004 Tongue Buckle Legs

XX-LARGE

H321005
H322005 Tongue Buckle Legs



Positioning Harness

Back and Hip D-Rings, Tongue Buckle Legs



SMALL

H332001
H331001 Pass Through Legs

MEDIUM/LARGE

H332002
H331002 Pass Through Legs

X-LARGE

H332004
H331004 Pass Through Legs

XX-LARGE

H332005
H331005 Pass Through Legs



Climbing/Positioning Harness

Back, Chest, and Hip D-Rings, Tongue Buckle Legs



SMALL

H362001
H361001 Pass Through Legs

MEDIUM/LARGE

H362002
H361002 Pass Through Legs

X-LARGE

H362004
H361004 Pass Through Legs

XX-LARGE

H362005
H361005 Pass Through Legs





BASEWEAR™

SAFETY HARNESS

HARNESSES



PASS THROUGH CHEST BUCKLE



SLIDING BACK PAD

Adjustable for universal fit on different body sizes.

LANYARD KEEPER

Keeps the lanyard secure and out of the way when not in use

IMPACT INDICATOR

Clearly shows if the harness has been involved in a fall



STRAP KEEPERS

Keeps excess webbing organized and out of the way

LABEL PROTECTION

Web cover to extend wear

LEG STRAP

Available with tongue buckles, ideal when multiple workers use same harness, or convenient pass through buckles

310LB. RATED

Standard Harness

Back D-Ring, Pass Through Legs



UNIVERSAL

H411002

H412002 Tongue Buckle Legs



Positioning Harness

Back and Hip D-Rings, Tongue Buckle Legs



UNIVERSAL

H432002

H431002 Pass Through Legs



Tool/Positioning Belt

Hip D-Rings



- SMALL**
M210001
- MEDIUM/LARGE**
M210003
- X-LARGE**
M210004
- XX-LARGE**
M210005

Belt



- SMALL**
M110001
- MEDIUM/LARGE**
M110003
- X-LARGE**
M110004
- XX-LARGE**
M110005

Back Pad

For Replacement or Addition to LiteFit Harness



M010003

Leg Pads



M010005

Shoulder Pads



M010001

D-Ring Extender



LENGTH 12"
M010000



KNOW YOUR LANYARD

LANYARDS

DeCoil™

ENERGY ABSORBING LANYARD

Elastic Stretch



SoftCoil™

INTERNAL ENERGY ABSORBING LANYARD

LABEL PROTECTION
Durable cover easily reveals labels



Positioning

NON ENERGY ABSORBING



Available on select Werner lanyards



WebAlert
INSPECTABLE WEBBING
WebAlert inspectable polyester webbing makes wear and damage visible and obvious making inspection easier.



Snap hook
Double Locking Snap Hook with gate rating of 3,600 lbs.



DCELL™
SHOCK PACK
Werner DCELL Shock Pack is a deceleration device designed for controlled tearing action to reduce fall arrest forces on the user



Elastic webbing
Contracts the lanyard length from 6' to 4', reducing the hazards of tripping, dragging, or snagging



Impact indicator
Provides clear indication to users during inspection when lanyard has been involved in a fall and should be taken out of service

LANYARD END OPTIONS

All Werner Hooks are compliant with the ANSI Z359 code.



SNAP HOOK



REBAR HOOK



2" GATE CARABINER



LOOP

STYLES OF LANYARDS



SHOCK PACK ENERGY ABSORBING

Non Elastic



These lanyards utilize a packed deceleration device (shock pack) designed for controlled tearing action to reduce fall arrest forces.

Elastic



These lanyards utilize an energy absorbing device (shock pack) and have elastic webbing that contracts from 6' to 4' reducing the hazards of tripping, dragging, or snagging.

INTERNAL ENERGY ABSORBING



These lanyards feature a tubular, energy absorbing inner core that uses the entire length of the lanyard to absorb the energy of a fall and reduce the arresting forces on a user.

POSITIONING



These lanyards do not have any shock absorbing features and are only for work positioning or restraint applications.

LANYARD ATTRIBUTES

TIE-BACK



The tie-back feature allows these lanyards to act as both a connecting means and anchorage connector when no other acceptable anchor is available.

TWINLEG (100% TIE-OFF)



Two lanyards connected together are meant for 100% tie-off, allowing the user to safely move from one location to another.

ADJUSTABLE



Adjustable in length to adapt to different working conditions.

DeCoil

DCELL Shock Pack, 1" Web, Snaphooks, Length 6'



DeCoil

DCELL Shock Pack, 1" Web, Snaphook, Rebar Hook, Length 6'



DeCoil

DCELL Shock Pack, 1" Web, Snaphook, 2" Carabiner, Length 6'



DeCoil

DCELL Shock Pack, 1" Web, Loop, Snaphook, Length 6'



DeCoil Tie-Back

DCELL Shock Pack, 1" Web, Snaphooks, Tie-Back, Length 6'



DeCoil Tie-Back

DCELL Shock Pack, 1" Web, Snaphook, Rebar Hook, Length 6'



DeCoil Tie-Back/Adjustable

DCELL Shock Pack, 1" Web, Snaphooks, Length 6'



DeCoil Tie-Back/Adjustable

DCELL Shock Pack, 1" Web, Snaphook, 2" Carabiner, Length 6'



DeCoil Tie-Back/Adjustable

DCELL Shock Pack, 1" Web, Snaphook, Rebar Hook, Length 6'



DeCoil Adjustable

DCELL Shock Pack, 1" Web, Snaphook, Rebar Hooks, Length 6'



DeCoil Adjustable

DCELL Shock Pack, 1" Web, Snaphooks, Length 6'



DeCoil Cable

DCELL Shock Pack, 1/4" Vinyl Coated Cable, Snaphook, 2" Carabiner, Length 6'



DeCoil Cable

DCELL Shock Pack, 1/4" Vinyl Coated Cable, Snaphooks, Length 6'



DeCoil Cable Tie-Back

DCELL Shock Pack, 5/16" Vinyl Coated Cable, Snaphook, Tie-Back, Length 6'



DeCoil Cable

DCELL Shock Pack, 1/4" Vinyl Coated Cable, Snaphook, Rebar Hook, Length 6'



DeCoil Stretch

DCELL Shock Pack, Elastic Web, Snaphooks, Length 4-6'



SINGLE LEG
C341100 (shown)

TWINLEG
C441100

DeCoil Stretch

DCELL Shock Pack, Elastic Web, Loop, Snaphooks, Length 4-6'



TWINLEG
C443100

DeCoil Stretch

DCELL Shock Pack, Elastic Web, Snaphooks, Rebar Hook, Length 4-6'



SINGLE LEG
C341200

TWINLEG
C441200 (shown)

SoftCoil

Energy Absorbing Inner Core, Snaphooks, Length 6'



SINGLE LEG
C351100 (shown)

TWINLEG
C451100

SoftCoil

Energy Absorbing Inner Core, Loop, Snaphook, Length 6'



SINGLE LEG
C353100 (shown)

TWINLEG
C453100

SoftCoil

Energy Absorbing Inner Core, Snaphook, Rebar Hook, Length 6'



SINGLE LEG
C351200

TWINLEG
C451200 (shown)

SoftCoil

Energy Absorbing Inner Core, Snaphook, 2" Carabiner, Length 6'



SINGLE LEG
C351400

Rebar Positioning

Web, 2 Snaphooks, Rebar Hook



18"
C111203 (shown)
22"
C111204

Positioning

1" Web, 2 Snaphooks



LENGTH 2'
C111102
LENGTH 3'
C111103
LENGTH 4'
C111104
LENGTH 5'
C111105
LENGTH 6'
C111106 (shown)

Rebar Positioning

Chain, 2 Snaphooks, Rebar Hook



18"
C191203 (shown)
22"
C191204

Positioning

1" Web, Snaphook, Rebar Hook, Length 6'



SINGLE LEG
C111206

Positioning

1/4" Vinyl Coated Cable, Snaphooks



LENGTH 2'
C161102
LENGTH 3'
C161103
LENGTH 4'
C161104
LENGTH 6'
C161106 (shown)

Positioning

1" Web, Loop, Snaphook, Length 6'



SINGLE LEG
C113106

Positioning Adjustable

1" Web, Snaphooks, Length 6'



SINGLE LEG
C111506




MAX PATROL

Self Retracting Lifelines

- Maximized freedom of movement
- Improved line-lock performance
- Compact and lightweight
- Can be connected at anchor or worn on the back D-ring of harness
- Robust design provides protection for workers up to 400 lbs
- Durable WebAlert inspectable webbing makes edge wear and damage visible
- Swivel top with Carabiner included

SELF RETRACTING LIFELINES




	LIFELINE LENGTH	LIFELINE MATERIAL
R330010	10'	DYNEEMA/POLYESTER WITH WEBALERT™

SELF RETRACTING LIFELINES

MADE WITH

WebAlert™
INSPECTABLE WEBBING



SELF RETRACTING LIFELINES

Safely Patrol Your Work Zone At The Pace You Work



HOUSING MATERIAL	LIFELINE CONNECTOR	ANCHORAGE CONNECTOR	WEIGHT	STANDARD COMPLIANCE
NYLON	DOUBLE LOCKING SNAP HOOK	CARABINER	2.5 LBS.	ANSI Z359.14-2012, CLASS B OSHA 1910 & 1926



AutoCoil 2™

SELF RETRACTING LIFELINE

AUTOCOIL2 SELF-RETRACTING LIFELINES ARE DESIGNED TO ENHANCE SAFETY PERFORMANCE AND PRODUCTIVITY

- The right device for the job - Models range from 7 ft web to 60 ft Galvanized cable
- Freedom to work and increase reach from a single anchor point
- Security When Needed - Internal braking mechanism for reduced fall clearances
- Proven design meets applicable ANSI standards and OSHA regulatory requirements
- Extend life through Werner Retractable Repair and Maintenance Program

SELF RETRACTING LIFELINES



Galvanized Cable
Rugged Strength and Durability

Carabiner Included

	20'	30'	60'
	R210020	R210030	R210060

SELF RETRACTING LIFELINES

SELF RETRACTING LIFELINES



DUAL LEG
R231007 with snap hooks (shown above)
Dual-Leg 7 ft design allows for
100% tie-off

Available with
rebar hooks
on R231007-R

SNAP HOOK WITH 3,600 LB. GATE

	7'	11'	Dual leg 7'
Dyneema Web <i>Lightweight and Strong</i>	R230007	R230011 (shown)	R231007 (shown) R231007-R

Carabiner Included

I-Beam Sliding Anchor

Lightweight Aluminum Design

FITS BEAMS FROM 3.5" TO 14" AND UP TO 1.25" THICK
A550000 (shown)

FITS BEAMS FROM 12" TO 30" AND UP TO 2.5" THICK
A550030



I-Beam Trolley Anchor

Lightweight Aluminum Design for Smooth Travel Along Beam

Fits Beams from 3" to 10" and up to 7/8" thick

A450000



Builders Grip

Fits 3/4" - 1 1/4" hole diameter

Maximum 1 1/4" material thickness

A420000



D-Bolt Anchor

Integrated Bolt with Washer and Nut
1/2" stud diameter
Maximum 1" material thickness

A320002



Mega-Swivel Steel Anchor

Swivel Top Design

DRILL HOLE 5/8"
MINIMUM 1/4" THICK STEEL
A320003



D-Bolt Anchor

5/8" dia. fastener (not included)

A320001



Hand Grip Anchor

2"
A100202
3"
A100203
4"
A100204 (shown)



Reusable Concrete Anchor

Easily Insert and Remove from Pre-drilled 3000 psi Concrete

DRILL HOLE 3/4" X 3" DEEP
A510000



Toggle Bolt Anchor

Reusable Anchor for Hollow Core Concrete and for Steel Beams

DRILL HOLE 3/4"
A410000



Mega-Swivel Concrete Anchor

Easily Insert and Remove from Pre-drilled 3000 psi Concrete,
Swivel Top Design, Minimum 5" Concrete Thickness

DRILL HOLE 3/4" X 4.5" DEEP
A510001



Reusable Concrete Hybrid Anchor

Easily Insert and Remove from Pre-drilled 3000 psi Concrete
Heavy-Duty Swivel Top Design

DRILL HOLE 1" X 5" DEEP
A510002



Pour-In Disposable Anchor Strap

Loop, D-Ring



LENGTH 24"
A211002

LENGTH 36"
A211003

LENGTH 48"
A211004 (shown)

LENGTH 72"
A211006

Pour-In Disposable Anchor Strap

Loop, Loop



LENGTH 36"
A211103

LENGTH 48"
A211104 (shown)

LENGTH 72"
A211106

Cable Choker

5/16" Vinyl Coated, Cable, O-Rings



- LENGTH 2'**
A112002
- LENGTH 3'**
A112003
- LENGTH 4'**
A112004
- LENGTH 6'**
A112006 (shown)
- LENGTH 8'**
A112008

Anchor Extension

1/4" Vinyl Coated Cable, O-Ring, Snaphook



- LENGTH 2'**
A113002
- LENGTH 3'**
A113003
- LENGTH 4'**
A113004
- LENGTH 6'**
A113006 (shown)
- LENGTH 8'**
A113008

Cross Arm Strap

Web, Loop, D-Ring, 3" Wear Pad



- LENGTH 2'**
A111102
- LENGTH 3'**
A111103
- LENGTH 4'**
A111104
- LENGTH 6'**
A111106 (shown)
- LENGTH 8'**
A111108

Cross Arm Strap

Web, O-Ring, D-Ring, 3" Wear Pad



- LENGTH 2'**
A111002
- LENGTH 3'**
A111003
- LENGTH 4'**
A111004
- LENGTH 6'**
A111006 (shown)
- LENGTH 8'**
A111008

Carabiner

3600 lb. Gate



- 1/2"**
A100301

Carabiner

3600 lb. Gate



- 2"**
A100303



Permanent Roof Anchor

For New Construction or Repairs

Stainless Steel Design for Extended Service Life



A220300

Reusable Roof Anchor

Plated Steel with D-Ring

A210400



Knock Down Roof Anchor

12 Pack

A230400



Trailing Rope Grab



FOR 5/8" ROPE
L210000

Trailing Rope Grab

Shock Absorbing Lanyard, 3'



FOR 5/8" ROPE
L210001

Manual Rope Adjuster



FOR 5/8" ROPE
L210100

Manual Rope Adjuster

Shock Absorbing Lanyard, 3'



FOR 5/8" ROPE
L210101

Vertical Lifeline

5/8" Poly Blend Rope



LENGTH 30'
L201030

LENGTH 50'
L201050 (shown)


LENGTH 75'
L201075

LENGTH 100'
L201100



COMPLIANCE KITS

COMPLIANCE KITS



Bucket SKU

K111101 Werner - Roofing Bucket, 30' Basic

K111201 Werner - Roofing Bucket, 50' Basic

K112101 Werner - Roofing Bucket, 30' Tongue Buckle Harness

K112201 Werner - Roofing Bucket, 50' Tongue Buckle Harness

K121001 Werner - Construction / Maintenance Bucket, Basic

K122001 Werner - Construction / Maintenance Bucket, Tongue Buckle Harness

K111204 Werner - Roofing Tool Bag, 50' Basic

Roofing Kits



- BASEWEAR HARNESS
- REUSABLE STEEL ROOF ANCHOR
- POLY BLEND ROPE LIFELINE
- ROPE ADJUSTER WITH 3' SHOCK ABSORBING LANYARD



Construction/Maintenance Kits



- BASEWEAR HARNESS
- SOFTCOIL 6' LANYARD WITH BIGHEAD SNAP HOOKS
- WEB 6' CROSS ARM STRAP



	Anchor		Lifeline		Connector		Harnesses	
	Reusable Steel Roof Anchor	Web 6' Cross Arm Strap	30' Poly Blend Rope Lifeline	50' Poly Blend Rope Lifeline	Rope Adjuster with 3' Shock Absorbing Lanyard	SoftCoil 6' Lanyard	BaseWear M/L with Tongue Buckle Leg Straps	BaseWear M/L with Pass Through Buckle Leg Straps
	A210400	A111106	L201030	L201050	L210101	C351100	H412002	H411002
	X		X		X			X
	X			X	X			X
	X		X		X		X	
		X				X		X
		X				X	X	
	X			X	X			X

WERNER OFFERS IN-STOCK KITS COVERING A BROAD RANGE OF FALL ARREST APPLICATIONS:

Taking protection and productivity to the next level. Every job is different, as is the fall protection required to get the job done. Werner is committed to providing the right product solution for your needs.

K121013

HARNES
H411002

LANYARD
C311100



K122023

HARNES
H411002

LANYARD
C311100



In-Stock ToolBag SKU

K121013 Aerial Kit: Standard BaseWear Harness, 6' DeCoil Lanyard

K122023 Aerial Kit: Standard BaseWear Harness, Tongue Buckle Legs, 6' SoftCoil Lanyard

K123033 Aerial Kit: 1000 Harness, Pass Through Legs, 6' DeCoil Stretch Lanyard

K121043 Aerial Kit: Standard BaseWear Harness, Pass Through Legs, 6' DeCoil Dual Leg Lanyard

K121053 Aerial/Main Kit: Standard BaseWear Harness, Pass Through Legs, 6' DeCoil Tie-Back Lanyard

K120000 Small Tool Bag (12" x 8")

K120001 Large Tool Bag (24" x 16")

Customized kit options available upon request – please contact Werner Customer Service for details.

PERSONALIZE YOUR FALL PROTECTION EQUIPMENT WITH CUSTOM LOGO CAPABILITY ON TOOL BAGS AND HARNESSSES.

LOGO MINIMUM ORDER REQUIREMENTS

Aerial Kits and Harnesses have an option to have a custom logo applied. Minimum 25 piece opening order required for logoed kits. Minimum 10 pieces required for reorders.



BAG LOGO SPECIFICATIONS

Dimensions – 5” x 5” (Height x Width)
 Colors – Two maximum
 Location – One side of bag only, other side contains a Werner Logo



HARNESS LOGO SPECIFICATIONS

(Eligible only on LiteFit and BaseWear Harness Styles)
 Dimensions – 1.5” x 4.5” (Height x Width)
 Colors – Two maximum
 Location – Harness Back Strap

	Harnesses			Connectors				
	BaseWear with Pass Through Leg Straps	BaseWear with Tongue Buckle Leg Straps	Blue Armor 1000 with Pass Through Leg Straps	DeCoil 6’ Lanyard	SoftCoil 6’ Lanyard	DeCoil Stretch 6’ Lanyard	DeCoil 6’ Dual Leg Lanyard	DeCoil 6’ Tie-Back Lanyard
	H411002	H412002	H211002	C311100	C351100	C341100	C411100	C311101
	X			X				
		X			X			
			X			X		
	X						X	
	X							X



Authorized User Course

Werner's Authorized User course is designed for all workers working at height who are required to have a working knowledge of the safe use of Fall Protection equipment and systems. Students will learn which equipment and systems are compatible and will participate in hands on exercises.

Upon successful completion of this course each student will receive a laminated wallet card and certificate of completion that they have met the requirements as an authorized person.



Competent Person Course

Werner's Competent Person training course is designed for individuals that are responsible for the supervision, implementation and monitoring of a managed Fall Protection Program.

This course is designed for facility and site supervisors who must also serve as a "Competent Person" and given the authority to take corrective action required by OSHA 1926.32(f), 1926.500 and 1910 standards.

This course includes class lecture and discussion including PPT slides, videos and incorporates extensive hands on demonstrations and exercises. This course also addresses relevant Fall Protection regulations, fall hazard identification and equipment/systems inspection protocols and documentation.

Competent Person Inspector Course

Werner's Competent Person Inspector course is designed for all workers using fall protection equipment and systems. This course is also designed for employees that have been dedicated for the specific task and responsibility for the inspection and documentation of the equipment and systems. This course will include hands on exercises as well as classroom discussion and lecture.

The training defines protocol for consistency in the inspection process that will assist in the management of the Fall Protection program as a whole.





CORPORATE HEADQUARTERS

Werner Co.

93 Werner Road

Greenville PA 16125-9499

Tel: 888 523 3371

To contact us please visit:

wernerco.com